



# Electric Sprayers

Graco's Complete Line of Professional Electric Airless Sprayers



PROVEN QUALITY. LEADING TECHNOLOGY.



## Small Electrics

# 390 PC

|             |        |
|-------------|--------|
| DESCRIPTION | PART # |
| STAND       | 17C310 |
| HI-BOY      | 17C313 |

|                |            |
|----------------|------------|
| SPECIFICATIONS |            |
| MAX TIP SIZE:  | 0.021      |
| MAX GPM (LPM): | 0.47 (1.8) |
| MAX PSI (BAR): | 3300 (227) |
| MOTOR HP:      | 5/8 DC     |

#### INCLUDES

- FTx™ Gun
- RAC X™ 515 SwitchTip™ and Guard
- 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax™ II Airless Hose
- Endurance Pump

If you need a solid workhorse of a sprayer that is built for the professional who is just “starting out,” then the 390 PC is for you. This is Graco’s lightest professional sprayer, ideal for residential jobs.

**Easy Out Pump Filter** creates less mess during changing or cleaning. Its flow-through design cleans with less fluid.

**Advantage Drive** runs quiet and has a lifetime guarantee.

**Chromed Steel Frame** has stable 4-leg design with cord wrap.

*Stand model shown.  
Hi-Boy model also available.*

#### Features



**Swivel Inlet Suction Hose** easily reaches paint buckets.

**QuickAccess™** intake valve quickly removes for easy cleaning or accessing the Inlet ball.



#### Variable Pressure Adjustment

Position Indicator allows repeatable setting while spraying light-to-heavier materials.

#### Lightweight Design

weighs only 30 lbs (13.6 kg) with offset handle positioned to kick sprayer away from leg for comfortable carrying.





## Small Electrics

# Ultra® Max II 395 PC

| DESCRIPTION | PART # |
|-------------|--------|
| STAND       | 17C314 |
| HI-BOY      | 17C317 |
| LO-BOY      | 17C315 |

| SPECIFICATIONS |             |
|----------------|-------------|
| MAX TIP SIZE:  | 0.023       |
| MAX GPM (LPM): | 0.54 (2.0)  |
| MAX PSI (BAR): | 3300 (227)  |
| MOTOR HP:      | 7/8 TEFC DC |

#### INCLUDES

- Contractor™ Gun
- RAC X 517 SwitchTip and Guard
- 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax™ II Airless Hose
- Endurance Pump

**Totally Enclosed DC Motor** suitable for use with solvent-based finishes.

The **Ultra 395 PC**'s performance and versatility has made it Graco's most popular small electric sprayer. It features SmartControl™ 1.0 pressure control that delivers a consistent spray fan without pressure fluctuation at all spraying pressures. Proven technology and reliability make it perfect for professionals who spray daily with a wide range of coatings.



Stand model shown.  
Lo-Boy and Hi-Boy models  
also available.

### Features


**Smart Control 1.0** with variable speed control delivers consistent spray fan without pressure fluctuations at all spraying pressures.

**Durable Cart Designs** withstands rugged environments; HI-Boy cart design allows for easy one-person bucket changes, while retractable handle doubles as hose storage.



Compatible with 1.5 gallon hopper for small projects.

Lo-Boy has convenient bucket hook to allow easy movement on the job without spilling.





## Midsize Electrics

### Ultra Max II 490 PC Pro

| DESCRIPTION | PART # |
|-------------|--------|
| STAND       | 17C327 |
| HI-BOY      | 17C332 |
| LO-BOY      | 17C328 |

| SPECIFICATIONS |                  |
|----------------|------------------|
| MAX TIP SIZE:  | 0.023            |
| MAX GPM (LPM): | 0.54 (2.0)       |
| MAX PSI (BAR): | 3300 (227)       |
| MOTOR HP:      | 1.0 Brushless DC |

#### INCLUDES

- Contractor™ Gun
- RAC X 517 SwitchTip and Guard
- 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax™ II Airless Hose
- Endurance Pump

The **Ultra Max II 490 PC Pro** sprayer is the ideal step-up for professionals looking for superior performance and features in a small electric sprayer.

**MaxPower** brushless DC motor creates more torque and delivers maintenance-free performance.

#### Features



Stand model shown.  
Lo-Boy and Hi-Boy models  
also available.



**Smart Control 2.5** advanced pressure control system delivers consistent spray fan without pressure fluctuations at all spraying pressures.



**Digital Display** for quick readings of pressure, gallon, hours, diagnostics and error messages. Ideal for maintenance tracking.

**FastFlush™** cleaning system saves time with high speed cleaning.





The **Ultra Max II 495 PC Pro** brings the leading technology and performance of Graco's larger Ultra Max II models into a compact and lightweight design.

### Features



*Lo-Boy model shown.  
 Stand and Hi-Boy  
 models also available.*

The **Ultra Max II 595 PC Pro** sprayer is the ideal choice for the painting professional who needs the highest possible output from a small, portable unit.

### Features



**Kickstand** on Hi-boy models holds inlet clear of the bucket for easy one-person bucket changes.

**Suitable for Wide RAC® tips.**

**Long Stroke Pump** reduces wear and extends time between repacks.

*Hi-Boy model shown.  
 Lo-Boy model also available.*



## Midsize Electrics

### Ultra Max II 495 PC Pro

| DESCRIPTION           | PART #           |
|-----------------------|------------------|
| STAND                 | 17C333           |
| HI-BOY                | 17C335           |
| LO-BOY                | 17C334           |
| <b>SPECIFICATIONS</b> |                  |
| MAX TIP SIZE:         | 0.025            |
| MAX GPM (LPM):        | 0.60 (2.3)       |
| MAX PSI (BAR):        | 3300 (227)       |
| MOTOR HP:             | 1.2 Brushless DC |

#### INCLUDES

- Contractor Gun
- RAC X 517 SwitchTip and Guard
- 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax™ II Airless Hose
- Endurance Pump

### Ultra Max II 595 PC Pro

| DESCRIPTION           | PART #           |
|-----------------------|------------------|
| HI-BOY                | 17C337           |
| LO-BOY                | 17C336           |
| <b>SPECIFICATIONS</b> |                  |
| MAX TIP SIZE:         | 0.027            |
| MAX GPM (LPM):        | 0.70 (2.6)       |
| MAX PSI (BAR):        | 3300 (227)       |
| MOTOR HP:             | 1.6 Brushless DC |

#### INCLUDES

- Contractor Gun
- RAC X 517 SwitchTip and Guard
- 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax™ II Airless Hose
- Endurance Pump



## Large Electrics

### Ultra Max II 695

|                |                             |
|----------------|-----------------------------|
| SERIES         | PART #                      |
| STANDARD       | 16W892                      |
| LO-BOY         | 16W893                      |
| PROCONTRACTOR  | 16W894                      |
| SPECIFICATIONS |                             |
| MAX TIP SIZE:  | 0.031-1 Gun<br>0.023-2 Guns |
| MAX GPM (LPM): | 0.95 (3.6)                  |
| MAX PSI (BAR): | 3300 (227)                  |
| MOTOR HP:      | 2.0 Brushless DC            |

#### INCLUDES

##### STANDARD SERIES AND LO-BOY UNITS:

- Contractor Gun
- RAC X 517 SwitchTip and Guard
- 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax™ II Airless Hose

##### PROCONTRACTOR SERIES UNIT:

- Contractor Gun
- RAC X 517 SwitchTip and Guard
- 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax™ II Airless Hose
- AND
- 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax™ II Airless Hose

With a 2.0 hp brushless DC motor, the **Ultra Max II 695** is a rock-solid performer for the professional residential contractor who sprays a wide variety of coatings. It can handle a wide variety of tip sizes and has outstanding proven reliability.

**STANDARD  
SERIES**



Standard model shown.



ProContractor model shown.



**Lo-Boy** easily carries a standard 5-gallon paint bucket.





With a 2.2 hp brushless DC motor, the **Ultra Max II 795** can handle multiple guns and is ideal for the professional residential remodeling and repainting contractor who sprays a wide variety of coatings.

*Standard model shown.*



*ProContractor model shown.*

## Large Electrics

### Ultra Max II 795

|                |   |
|----------------|---|
| SERIES         | PART #                                      |
| STANDARD       | 16W895                                      |
| PROCONTRACTOR  | 16W896                                      |
| SPECIFICATIONS |   |
| MAX TIP SIZE:  | 0.033-1 Gun<br>0.025-2 Guns<br>0.019-3 Guns |
| MAX GPM (LPM): | 1.10 (4.1)                                  |
| MAX PSI (BAR): | 3300 (227)                                  |
| MOTOR HP:      | 2.2 Brushless DC                            |

#### INCLUDES

##### STANDARD SERIES UNIT:

- Contractor Gun
- RAC X 517 SwitchTip and Guard
- 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax™ II Airless Hose

##### PROCONTRACTOR SERIES UNIT:

- Contractor Gun
- RAC X 517 SwitchTip and Guard
- 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax™ II Airless Hose
- AND
- 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax™ II Airless Hose





## Large Electrics

### Ultra Max II 1095

|                |   |
|----------------|---|
| SERIES         | PART #                                      |
| STANDARD       | 16W899                                      |
| PROCONTRACTOR  | 16W900                                      |
| IRONMAN        | 16W901                                      |
| SPECIFICATIONS |   |
| MAX TIP SIZE:  | 0.035-1 Gun<br>0.027-2 Guns<br>0.021-3 Guns |
| MAX GPM (LPM): | 1.20 (4.5)                                  |
| MAX PSI (BAR): | 3300 (227)                                  |
| MOTOR HP:      | 2.4 Brushless DC                            |

#### INCLUDES

##### STANDARD SERIES UNIT:

- Contractor Gun
- RAC X 517 SwitchTip and Guard
- 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax™ II Airless Hose

##### PROCONTRACTOR SERIES UNIT:

- Contractor Gun
- RAC X 517 SwitchTip and Guard
- 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax™ II Airless Hose

#### AND

- 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax™ II Airless Hose

##### IRONMAN SERIES UNIT:

- Silver Plus Gun
- RAC X 517 SwitchTip and Guard
- 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax™ II Airless Hose

#### AND

- 3/8 in x 50 ft (9.5 mm x 15 m) BlueMax™ II Airless Hose

With a 2.4 hp brushless DC motor and the ability to spray up to 1.2 gallons per minute, the **Ultra Max II 1095** is the industry standard for the large residential and commercial contractor who sprays a wide variety of coatings.



Standard model shown.



ProContractor model shown.



IronMan model shown.





Standard model shown.



With a 2.8 hp brushless DC motor and the ability to spray up to 1.35 gallons per minute, the **Ultra Max II 1595** is Graco's largest airless electric sprayer. Because it can handle the widest range of tip sizes, longer hose lengths and heavier coatings with ease, it's perfect for the large residential and industrial painter.



ProContractor model shown.



IronMan model shown.



## Large Electrics

### Ultra Max II 1595

| SERIES                 | PART # |
|------------------------|--------|
| STANDARD               | 16W902 |
| STANDARD (CANADA)      | 16W936 |
| PROCONTRACTOR          | 16W903 |
| PROCONTRACTOR (CANADA) | 16W937 |
| IRONMAN                | 16W907 |
| IRONMAN (CANADA)       | 16W938 |

#### SPECIFICATIONS

|                |   |
|----------------|---|
| MAX TIP SIZE:  | 0.039-1 Gun<br>0.029-2 Guns<br>0.023-3 Guns |
| MAX GPM (LPM): | 1.35 (5.1)                                  |
| MAX PSI (BAR): | 3300 (227)                                  |
| MOTOR HP:      | 2.8 Brushless DC                            |

#### INCLUDES

##### STANDARD SERIES UNITS:

- Contractor Gun
- RAC X 517 SwitchTip and Guard
- 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax™ II Airless Hose

##### PROCONTRACTOR SERIES UNITS:

- Contractor Gun
- RAC X 517 SwitchTip and Guard
- 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax™ II Airless Hose

AND

- 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax™ II Airless Hose

##### IRONMAN SERIES UNITS:

- Silver Plus Gun
- RAC X 517 SwitchTip and Guard
- 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax™ II Airless Hose

AND

- 3/8 in x 50 ft (9.5 mm x 15 m) BlueMax™ II Airless Hose