



Gas Sprayers

Graco's Complete Line of Professional Gas Airless Sprayers



PROVEN QUALITY. LEADING TECHNOLOGY.

Impianti Sdn Bhd

Contact: +603 5124 6200 info@impianti.com.my www.impianti.com.my



If You're a

Small Residential and Repainting Contractor

- You're painting multiple days a week
- Your jobs are typically on the smaller side
- You demand everyday reliability
- You don't need a lot of extra features





STANDARD SERIES

EVERYDAY RELIABILITY

If You're a Large Residential and Commercial Contractor

- ► You're painting every day
- You tackle medium to large projects
- ► You're moving frequently from job to job
- You need features that save you time and get you in, out, and on to the next job site





You need a **ProContractor**Series sprayer.

WORK SMARTER, FINISH MORE JOBS



If You're a Large Commercial and Industrial Contractor

- You're painting continuously in less-than-ideal conditions
- You handle large, long-duration projects that require large volumes of material
- ► You keep your equipment on-site in paint
- You require extreme durability and reliability






You need an Iron Man Series sprayer.


BEYOND JOBSITE TOUGH

















GMAX

Power, Durability and Capability are what make an IronMan. With its rugged roll cage frame and mechanical components that are designed for continuous, hard use, the IronMan sprayers are built for the serious contractor who routinely handles large commercial and industrial jobs in less than ideal conditions.

IronMan Series sprayers have all the Features of the Standard Series, Plus:





SmartControl 3.0 with LED Display

Graco's advanced SmartControl 3.0 pressure control system delivers a consistent spray fan without pressure fluctuations at all spraying pressures.

▶ Bright, easy-to-read LED display shows pressure read-out, job/lifetime/gallon counter and self-diagnostics

WatchDog The WatchDog Pump Protection System automatically shuts down the pump when paint runs out or if the hose is damaged.

Prevents dry pumping damage











Roll Cage Frame Design All IronMan sprayers are built for the most brutal and demanding job sites.

 Heavy-duty roll cage frame withstands the most extreme abuse from industrial job sites



 Crush-proof intake screen stands up to harsh impacts








ProConnect 2 This next-generation pinless design of Graco's ProConnect Pump Removal and Installation System makes it easier and faster than ever to replace the pump in seconds.

- ► Eliminates costly jobsite downtime
- Quickly and easily swap out the pump for a spare





Extreme-Duty MaxLife® Pump

Built for the most demanding jobs, Graco's Extreme-Duty MaxLife Pump delivers unmatched durability and life.

- Lasts 6X longer between repacks
- ▶ Exclusive MaxLife sleeve and rod
- Oversized clearances ensure minimal pressure drop and increased performance



 Both long-life ceramic and stainless steel ball sets included for maximum versatility no matter what you're spraying



Flat-Proof Tires These tires can't be punctured by nails, screws or other sharp debris. They will never go flat, leaving the sprayer stranded on a jobsite.



Heavy-Duty Hose and Gun 100 feet of highperformance BlueMax II airless hose and a Silver Plus gun that can handle spraying heavier materials are included with every IronMan sprayer.



Gas Direct Drive

GMAX II 5900

SERIES LO-BOY PART # 16W870 CONVERTIBLE 16W873 STANDARD PROCONTRACTOR IRONMAN 16W881

SPECIFICATIONS MAX TIP SIZE:

0.043-1 Gun 0.029-2 Guns

MAX GPM (LPM): 1.60 (6.0)

MAX PSI (BAR): ENGINE CC (HP): (6.5)

3300 (227) Honda 200

INCLUDES

STANDARD SERIES, CONVERTIBLE AND

- LO-BOY UNITS:
 Contractor Gun
 RAC X 517 SwitchTip and Guard
 1/4 in x 50 ft (6.4 mm x 15 m)
 BlueMax II Airless Hose

PROCONTRACTOR SERIES UNIT:

- **Contractor Gun**
- RAC X 517 SwitchTip and Guard
- 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless Hose AND
- 1/4 in x 50 ft (6.4 mm x 15 m)
 BlueMax II Airless Hose

IRONMAN SERIES UNIT:

- Silver Plus Gun

- RAC X 517 SwitchTip and Guard RAC X Wide RAC 1231 SwitchTip 3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless Hose
 - AND
- 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless Hose



Lo-Boy model shown.

With a 200 cc Honda engine and the ability to spray up to 1.6 gallons per minute, the GMAX II 5900 is the industry standard for the professional contractor who sprays a wide variety of coatings on residential, commercial, and industrial jobs.







Offering 35% more performance than the GMAX II 5900, the GMAX II 7900 is Graco's largest gas mechanical sprayer. All 7900 sprayers come equipped with Graco's Extreme-Duty MaxLife pump, and they can handle the widest range of tip sizes, multiple guns, longer hose lengths and heavier coatings with ease.

All GMAX II 7900 sprayers feature Graco's extreme-duty **MaxLife Pump**

- Lasts 6x longer between repacks
- Features exclusive hardened MaxLife sleeve and rod
- Oversized clearances ensure minimal pressure drop





GMAX II 7900

PART # LO-BOY STANDARD 16W883 16W885 **PROCONTRACTOR** 16W887

SPECIFICATIONS MAX TIP SIZE:

0.048-1 Gun

0.035–2 Guns 0.027–3 Guns

MAX GPM (LPM): 2.20 (8.3) MAX PSI (BAR): 3300 (227) ENGINE CC (HP): Honda 200 (6.5)

INCLUDES

STANDARD SERIES AND LO-BOY UNITS: Contractor Gun RAC X 517 SwitchTip and Guard

- 3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless Hose 1/4 in x 3 ft (6.4 mm x 0.9 m)
- BlueMax II Whip

- PROCONTRACTOR SERIES UNIT:
 Contractor Gun
 RAC X 517 SwitchTip and Guard
 3/8 in x 50 ft (9.5 mm x 15 m) **BlueMax II Airless Hose**
- 1/4 in x 50 ft (6.4 mm x 15 m)
 BlueMax II Airless Hose

IRONMAN SERIES UNIT:

- Silver Plus Gun
 RAC X 517 SwitchTip and Guard
 RAC X Wide RAC 1231 SwitchTip
- 3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless Hose
- 1/4 in x 50 ft (6.4 mm x 15 m)
 BlueMax II Airless Hose



Lo-Boy model shown.





TexSpray™ HD Airless Texture Sprayers

The gas-powered heavy material solution

When the job requires you to spray the heaviest materials, turn to the TexSpray HD line of gas airless sprayers to get the job done. Configured with direct immersion pumps, oversized hoses, and guns with huge fluid passages, these sprayers are designed to deliver maximum flow and pressure from pump to gun. Whether you need to spray skim coat in a Level 5 finish, fire stop, intumescent, elastomeric, or any other high viscosity coating, TexSpray HD sprayers have you covered.





Gas Hydraulic

GH Convertible

GAS MODELS PART # STANDARD

STANDARD with Electric Motor

24W924 Kit (non CSA)

SPECIFICATIONS (with Gas Engine)
444 TIP SIZE- 0.037-1 Gun MAX TIP SIZE:

0.023-2 Guns

MAX GPM (LPM): 1.30 (4.9) MAX PSI (BAR): 3300 (227) ENGINE CC (HP): Honda 120

(4.0)

SPECIFICATIONS (with Electric Motor) MAX TIP SIZE MAX GPM (LPM): 1.10 (4.2)

INCLUDES

STANDARD SERIES UNIT: Contractor Gun

- RAC X 517, SwitchTips and Guard
- 1/4 in x 50 ft (6.4 mm x 15 m)
 BlueMax II Airless Hose

Graco's GH 130 Convertible sprayer is a powerful hydraulic unit for the contractor who sprays a wide range of material. With the ability to change out the pump lower and convert to electric power without tools, you can be assured that you have the most versatile sprayer on the market today.





Outfitted with a reliable Honda 160 cc (5.5 hp) engine, Graco's GH 200 Convertible sprayer is the hydraulic solution for medium to large jobs where proven hydraulic power is demanded to get the job done every time. And like the GH 130 Convertible, you'll have the ability to change out the pump lower and convert to electric power without tools on the job site.





ProContractor model shown.

Gas Hydraulic

GH Convertible

GAS MODELS STANDARD PART # 24W925

STANDARD with Electric Motor

Kit (non CSA) 24W926 PROCONTRACTOR 24W927

PROCONTRACTOR with Electric Motor Kit (non CSA)

24W928

SPECIFICATIONS (with Gas Engine)
MAX TIP SIZE: 0.047-1 Gun
0.034-2 Guns
0.027-3 Guns

MAX GPM (LPM): 2.15 (8.14) MAX PSI (BAR): 3300 (227)

ENGINE CC (HP): Honda 160 (5.5)

SPECIFICATIONS (with Electric Motor)
MAX TIP SIZE: 0.031

MAX GPM (LPM): 1.10 (4.2)

INCLUDES

STANDARD SERIES UNIT:

- Contractor Gun
 RAC X 517, 1231 SwitchTips and Guard
- 1/4 in x 50 ft (6.4 mm x 15 m) **BlueMax II Airless Hose**

PROCONTRACTOR SERIES UNIT:

- Contractor Gun
 RAC X 517, 1231 SwitchTips and Guard
- 1/4 in x 50 ft (6.4 mm x 15 m)
 BlueMax II Airless Hose AND
- 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless Hose





Gas Hydraulic

GH/DH Convertible

PART # 24W929 **GAS MODELS** STANDARD

STANDARD with Electric Motor Kit (non CSA) 24W930

STANDARD with Electric Motor Kit (CSA) 24W931

PROCONTRACTOR 24W932

PROCONTRACTOR with Electric Motor Kit (non CSA) 24W933

PROCONTRACTOR with Electric Motor Kit (CSA)

DIESEL MODEL PART #

PROCONTRACTOR 17G591

SPECIFICATIONS (with Gas or Diesel Engine) 0.053-1 Gun

MAX TIP SIZE

0.038-2 Guns 0.032-3 Guns 0.028-4 Guns 0.024-5 Guns

MAX GPM (LPM): 2.35 (8.9) MAX PSI (BAR): 3300 (227) GAS ENGINE CC (HP): Honda 220 (6.5)

DIESEL ENGINE CC (HP): Kohler 349 (6.1)

SPECIFICATIONS (with Electric Motor) MAX TIP SIZE: MAX GPM (LPM): 1.10 (4.2)

INCLUDES

STANDARD SERIES UNIT:

- Silver Plus Gun
 RAC X 517, 1231 SwitchTips and Guard
- 3/8 in x 50 ft (9.5 mm x 15 m)
 BlueMax II Airless Hose
- 1/4 in x 3 ft (6.4 mm x 0.9 m) BlueMax II Whip Hose

PROCONTRACTOR SERIES UNIT:

- Silver Plus Gun
 RAC X 517, 1231 SwitchTips and Guard
 3/8 in x 50 ft (9.5 mm x 15 m)
- BlueMax II Airless Hose
- 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless Hose



Now Available with Kohler Diesel Engine!

Built with a proven Honda 220 cc (6.5 HP) gas or Kohler 349 cc (6.1 HP) diesel engine, Graco's GH 230 and DH 230 Convertible sprayers are ideal for the contractor looking to spray heavier materials in demanding applications. Both sprayers are capable of handling elastomerics, block fillers, gypsum, and dry fall. And with the ability to change out the pump lower and convert to electric power without tools, you can be assured that you'll have the ability to tackle any job regardless of the location or conditions.





Impianti Sdn Bhd

Contact: +603 5124 6200 info@impianti.com.my www.impianti.com.my



Graco's GH 300 is the largest of the GH family of sprayers. Built with a rugged and durable Honda 270 cc (9.0 hp) engine, it's ideal for the high-production contractor who sprays the heaviest materials including elastomerics, block fillers, gypsum, and dry fall.









Gas Hydraulic

GH

GAS MODELS STANDARD PART # 24W935 24W936 **PROCONTRACTOR**

SPECIFICATIONS MAX TIP SIZE:

0.057–1 Gun 0.039–2 Guns 0.033–3 Guns 0.029–4 Guns 0.025-5 Guns

MAX GPM (LPM): 3.0 (11.4) MAX PSI (BAR): 3300 (227) ENGINE CC (HP): Honda 270 (9.0)

INCLUDES

STANDARD SERIES UNIT:

- Silver Plus Gun
 RAC X 517, 1231 SwitchTips and Guard
- 3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless Hose 1/4 in x 3 ft (6.4 mm x 0.9 m) BlueMax II Whip Hose

PROCONTRACTOR SERIES UNIT:

- Silver Plus Gun
 RAC X 517, 1231 SwitchTips and Guard
 3/8 in x 50 ft (9.5 mm x 15 m)
- **BlueMax II Airless Hose**
- 3/8 in x 50 ft (6.4 mm x 15 m) **BlueMax II Airless Hose**
- 1/4 in x 3 ft (6.4 mm x 15 m)
 BlueMax II Airless Hose



TexSpray DutyMax™ Airless Sprayers

Hard workers for the heaviest applications

When you need to spray the heaviest materials, turn to the TexSpray DutyMax line of hydraulic gas airless sprayers. Configured with direct immersion pumps, oversized hoses, and guns with huge fluid passages, these sprayers are designed to deliver maximum flow and pressure from pump to gun. Whether you need to spray skim coat in a Level 5 finish, fire stop, intumescent, elastomeric, or any other high viscosity coatings, the TexSpray DutyMax GH sprayers have you covered.

TexSpray Models Available:

DutyMax GH/DH 230m Convertible DutyMax GH 300m With features such as a welded steel cart, a high-efficiency hydraulic pump, a high-capacity cooling system, heavy-duty prime valve, and a contractor-preferred Honda engine, Graco's hydraulic sprayers are the most versatile units on the market today—they're even available with a convertible electric motor that can be exchanged with the gas engine in seconds for working indoors!







GH Big Rig[™] Sprayers

For 30+ years, contractors have turned to the GH line of gas hydraulic sprayers when they needed maximum performance and unmatched versatility. The tradition continues with the GH Big Rig sprayers. Equipped with exclusive QuikChange™ Lowers, each Big Rig sprayer can easily be customized for each coating, eliminating the need to purchase additional rigs. Whether you require high pressure for long hose runs and hard-to-atomize materials, or high flow rates for heavier coverage, turn to the GH Big Rig sprayers to get the job done.

Gas Hydraulic Models Available:	
GH 833 GH 933	GH 1017 ES GH 2570 ES
GH 733 ES	GH 5040 ES



