



## **Texture Sprayers**

**Graco's Complete Line of Professional Texture Sprayers** 





### Texture Application Guide

#### Get the Interior and Exterior Finish You Want!

With the widest selection of texture models to choose from and a host of performance enhancing accessories, there is a TexSpray texture sprayer to help you complete your projects—no matter what finish you desire.

#### INTERIOR TEXTURE

#### Simulated Acoustic (Popcorn)



#### Orange Peel, Fine Splatter



#### Splatter






#### **COMMONLY USED MATERIALS**

- · All-Purpose Joint Compounds
- Lightweight Joint Compounds
- Wall and Ceiling Spray Textures
- · All-Purpose Joint Compounds
- Lightweight Joint Compounds
- Wall and Ceiling Spray Textures

#### SPRAYER RECOMMENDATIONS



#### TEXTURE ACCESSORIES

WideTex" Kit (Part #245142)
Use with RTX 1500, GTX 2000ex

Siphon Kit (Part #248112) Use with GTX 2000ex

Air Line Kit (Part #248117) Use with GTX 2000ex WideTex Kit (Part #245142)
Use with RTX 1500, GTX 2000ex

Siphon Kit (Part #248112)) Use with GTX 2000ex

Air Line Kit (Part #248117) Use with GTX 2000ex

Air Atomizer Kit (Part #244223) Use with Mark IV, Mark V, 5900 HD, 7900 HD

25 Gallon Hopper (Part #287987) Use with Mark IV, Mark V, Mark X 240 Volt, 5900 HD, 7900 HD, HTX 2030

55 Gallon Siphon Set (Part #289669) Use with Mark X 240 Volt, 7900 HD WideTex Kit (Part #245142)
Use with RTX 1500, GTX 2000Ex

Siphon Kit (Part #248112) Use with GTX 2000ex

Air Line Kit (Part #248117) Use with GTX 2000EX

Air Atomizer Kit (Part #244223) Use with Mark IV, Mark V, 5900 HD

25 Gallon Hopper (Part #287987) Use with Mark IV, Mark V, Mark X 240 Volt, 5900 HD, 7900 HD, HTX 2030

55 Gallon Siphon Set (Part #289669) Use with Mark X 240 Volt, 7900 HD

Air Line Kit (Part #248117)
Use with GTX 2000ex, DutyMax
GH 230or\*, DutyMax GH 300or\*

<sup>\*</sup>User supplied air compressor and Air Atomizer Kit (Part # 244223) required for this application.



#### EXTERIOR TEXTURE

#### Knockdown



Smooth, Level 5 and Skim Coat



**Textured Acrylics** and Elastomerics



**EIFS and Synthetic** Stucco Finish Coats



**Deck Coatings** 




- · All-Purpose Joint Compounds
- Lightweight Joint Compounds
- · Wall and Ceiling Spray Textures
- · All-Purpose Joint Compounds
- Lightweight Joint Compounds
- · Wall and Ceiling
- Skim Coat Materials

#### COMMONLY USED MATERIALS

- Textured Acrylic Materials
- Textured Elastomeric Materials
- Textured Acrylic Materials Used as the Final Coat in a Multi-layered Wall System
- Decorative and Anti-Skid **Deck Coatings**

· Wall Surfacing Materials

#### SPRAYER RECOMMENDATIONS



Hopper Gun RTX 5000PX RTX 5500PX Use with aggregates up to 3 mm GTX 2000EX | | | Use with aggregates up to 2 mm HTX 2030 Use with aggregates up to 2.5 mm

10:1 President Use with aggregates up to 2.5 mm

Hopper Gun RTX 5000PX RTX 5500PX<sup>†</sup> Use with aggregates up to 3 mm GTX 2000EX Use with aggregates up to 2 mm HTX 2030 Use with aggregates up to 2.5 mm 10:1 President Use with aggregates up to 2.5 mm

Hopper Gun RTX 5000PX RTX 5500pxt Use with aggregates up to 3 mm

#### PRODUCTIVITY

Air Atomizer Kit (Part #244223) Use with Mark IV, Mark V, 5900 HD

GH 230m

GH 300m\*

25 Gallon Hopper (Part #287987) Use with Mark IV, Mark V, Mark X 240 Volt, 5900 HD, 7900 HD, HTX 2030, DutyMax GH 2300\*, DutyMax GH 3000\*

55 Gallon Siphon Set (Part #289669) Use with Mark X 240 Volt, 7900 HD,

HTX 2030, **DutyMax** GH 2300r\* **DutyMax** GH 3000x\*

25 Gallon Hopper (Part #287987) Use with Mark IV, Mark V, Mark X 240 Volt, 5900 HD, 7900 HD, DutyMax GH 230or\*, DutyMax GH 300or\*

55 Gallon Siphon Set (Part #289669) Use with Mark X 240 Vott, 7900 HD, DutyMax GH 230or\*, DutyMax GH 300or\*

High Pressure Pump Kit (Part #248140) Use with HTX 2030

#### **TEXTURE ACCESSORIES**

WideTex Kit (Part #245143) Use with RTX 1500, GTX 2000EX WideTex Kit (Part #245143) Use with RTX 1500, GTX 2000EX WideTex Kit (Part #245143) Use with RTX 1500, GTX 2000EX





The RTX Standard Interior Series is the everyday finishing solution designed for the residential and repaint contractor looking for everyday reliability. The features you



### NEW 2016 RTX

#### RotoFlex II Pump

- Features an innovative braided sling that provides extra support to the RotoFlex pump tube
- ▶ 1.4 gpm output to get the job done quickly job site proven!

#### High-Output 6.1 cfm Air Compressor

- ► High-output design delivers 33% more air for demanding finishes
- ▶ Maintenance-free design
- Projects materials farther

#### 120v AC High-Output Electric Motor

- Optimized design offers improved power and performance
- Single-motor design operates both the air compressor and the RotoFlex pump

#### Skip-Bond Material/Air Hose

- Both hoses are permanently bonded together for easy handling
- Offers improved flexibility

#### FlexChange™ Pump Section

- ► No-Tools pump replacement systemnow easier than ever!
- Swap out a spare RotoFlex pump in seconds!
- ► Eliminate costly job site downtime

#### **Adjustable Material Flow Control**

- Dial up to spray thicker materials; Dial down for less flow and maximum control
- Easy-to-read gauge

#### Lightweight Spray Gun

- Durable, corrosion-resistant design
- Easy-to-use air & trigger adjustment
- Ergonomically styled for comfortable spraying

#### **RTX Texture**

## TexSpray

TEXSPRAY RTX 1400si

PART # 17H572

SPECIFICATIONS MAX GPM (LPM): 1.4 (5.3) MAX PSI (BAR): 70 (4.8) CFM (CM) @ 20 PSI: 6.1 (.17) HOPPER GAL (L): 10 (38) MOTOR TYPE: AC MOTOR HP: 1.7 VOLTAGE: 1201 MAX HOSE FT (M): 25 (7.5)

#### INCLUDES

- 3/4 in x 25 ft Material Hose
- 3/8 in x 25 ft Air Hose
- 3mm, 4mm, 6mm, 8mm, Round Nozzles

Equipped with the job site proven RotoFlex II Pump.



**On-board Toolbox conveniently** stores all your accessory Items.





#### **RTX Texture**

DESCRIPTION TEXSPRAY RTX 2000pt

17H573

SPECIFICATIONS MAX GPM (LPM): MAX PSI (BAR):

CFM (CM) @ 20 PSI:

HOPPER GAL (L):

2.0 (7.6) 70 (4.8) 6.1 (.17) 13 (49) AC 1.7

MOTOR TYPE: MOTOR HP: VOLTAGE: MAX HOSE FT (M):

120V 50 (15.4)

#### INCLUDES

- 1 in x 25 ft Material Hose

- 3/8 in x 25 ft Air Hose
   Heavy-Duty Texture Gun
   3mm, 4mm, 6mm, 8mm, 10mm, 12mm
- Round Nozzies WideTex Adapter with 4mm, 6mm, 8mm, 10mm, 12mm, XL W Tips

TEXSPRAY RTX 5000PI

SPECIFICATIONS

MAX GPM (LPM): 5.0 (19) MAX PSI (BAR): 100 (6.9) CFM (CM) @ 20 PSI: 8.6 (.24) HOPPER GAL (L): 15 (57) MOTOR TYPE: DC Brushless MOTOR HP: 20 VOLTAGE: 120V MAX HOSE FT (M): 100 (30)

#### INCLUDES

- 1 in x 25 ft Material Hose
- 3/8 in x 25 ft Air Hose
- Heavy-Duty Texture Gun 3mm, 4mm, 6mm, 8mm, 10mm, 12mm
- WideTex Adapter with 4mm, 6mm, 8mm, 10mm, 12mm, XL W Tips



The RTX Pro Interior Series delivers an optimized texture system perfect for tradesmen and contractors seeking the time-saving features required for medium-to-large jobs. This professional solution is designed for increased productivity to get you on and off the job site faster.



Large 13-Gallon **Capacity Hopper** 

► 120V AC **Electric Motor** 

- Extra Large 15-Gallon **Capacity Hopper**
- 120v MaxPower" **Brushless DC Motor** with 15/20 amp switch

Features Include:

**RotoFlex Pump** High-Output Air Compressor FlexChange Pump Section

#### SmartStart" System

- Innovative system automatically starts pump and compressor when gun trigger is pulled, and shuts them off when released
- Provides a soft-start to eliminate material blast that can impact finish quality
- Reduces noise and vibration
- Extends pump and compressor life

The RTX 5000m is very fast, powerful, and easy to set up. I really like SmartStart and its consistent finish, being able to run longer hose lengths, and the 15/20 amp switch. I like everything about the machine!" - Adan Rodriguez Elite Drywall Specialties, West Covina, CA

#### Twin-Cylinder Air Compressor (5000pt only)

- ► High-output design delivers more air for demanding finishes
- ► Maintenance-free design
- ► Runs at lower RPM for longer life

#### WideTex Tips & Adapter

- Allows spraying in a uniform fan pattern
- Spray repeatable patterns with less material and pressure adjustment
- Increases productivity by more than 20%

#### Heavy-Duty Aluminum Trigger Gun with Integrated Prime Selector

- Durable aluminum design
- Oversized fluid/air passages
- Allows unit to be put in prime mode right at the gun!

#### 1 in Skip-Bond Material/Air Hose

- Both hoses permanently bonded for easy handling
- Offers more Flexibility than ever before!



The RTX Pro Exterior Series is configured to tackle exterior jobs of all sizes, Ideal for the large residential and commercial contractor needing a compact yet powerful texture sprayer capable of handling a wide variety of materials, such as synthetic stuccos, deck coatings,



#### Features Include:

RotoFlex HD Pump Bonded Heavy-Duty Material/Air Hose FlexChange Pump Section

#### SmartStart" System

- Innovative system automatically starts pump and compressor when gun trigger is pulled, and shuts them off when released
- Provides a soft-start to eliminate material blast that can impact finish quality
- Reduces noise and vibration
- Extends pump and compressor life

#### Twin-Cylinder Air Compressor

- High-output design delivers more air for demanding finishes
- Maintenance-free design
- Runs at lower RPM for longer life

#### **External Air Input**

Allows external air to be used for demanding finishes

#### WideTex with Hardened Tips & Adapter

- Allows spraying in a uniform fan pattern
- Spray repeatable patterns with less material and pressure adjustment
- ► Increases productivity by more than 20%
- 2X harder than Standard WideTex tips!

#### Heavy-Duty Aluminum Trigger Gun with Integrated Prime Selector

- Durable aluminum design
- Oversized fluid/air passages
- Allows unit to be put in prime mode right at the gun!

#### **RTX Texture**

## TexSpray

DESCRIPTION TEXSPRAY RTX 5000px

SPECIFICATIONS MAX GPM (LPM): 5.0 (19) MAX PSI (BAR): 100 (6.9) CFM (CM) @ 20 PSI: 8.6 (.24) HOPPER GAL (L): 15 (57) MOTOR TYPE: DC Brushless MOTOR HP: 2.0 VOLTAGE: 120V MAX HOSE FT (M): 100 (30)

#### INCLUDES

- 1-1/4 in x 25 ft Material Hose
- 3/8 in x 25 ft Air Hose
- **Heavy Duty Texture Gun** 3mm, 4mm, 6mm, 8mm, 10mm,
- 12mm, Round Nozzles WideTex Adapter with Hardened 4mm, 6mm, 8mm, 10mm, 12mm, XL W Tips

TEXSPRAY RTX 5500px

SPECIFICATIONS MAX GPM (LPM): 5.5 (21) MAX PSI (BAR): 100 (6.9) CFM (CM) @ 20 PSI: 9.1 (26) HOPPER GAL (L): 15 (57) MOTOR TYPE: DC Brushless MOTOR HP: 20 240V MAX HOSE FT (M): 100 (30)

#### INCLUDES

- 1-1/4 in x 25 ft Material Hose
- 3/8 in x 25 ft Air Hose
- Heavy-Duty Texture Gun 3mm, 4mm, 6mm, 8mm, 10mm,
- 12mm, Round Nozzles WideTex Adapter with hardened 4mm, 6mm, 8mm, 10mm, 12mm, XL W Tips

Connects to standard 220-240 Volt L6-30 receptacle (3 wire) on most distribution boxes or generators.







- Innovative system allows user to convert unit to a high pressure airless sprayer for applying the wide range of heavier smooth coatings including skim coat in a Level 5 finish, primers and paints.
- System automatically recognizes installed pump and converts it to an airless sprayer.
- ▶ Allows you to upgrade your TexSpray HTX 2030 Complete to a TexSpray HTX 2030 Complete Plus+ at any time (with the MaxLife Endurance High-Pressure Pump Kit #24B140) to expand your job capabilities.



#### **Gas Powered Aggregate**

## TexSpray Complete

DESCRIPTION

PART#

**TEXSPRAY HTX 2030** COMPLETE WITH FREEFLO" INLINE GUN

258740

**TEXSPRAY HTX 2030** 

COMPLETE WITH TRIGGER GUN APPLICATOR 278677

**SPECIFICATIONS** 

.071

MAX GPM (LPM):

3.0 (11)

MAX PSI (BAR): ENGINE CC (HP): 1000 (70) Honda 200 (6.5

#### INCLUDES

- High-Output Piston Texture Pump
- FreeFlo Inline Gun
- RAC X 671 Airless Tip and Guard
- 3/4 in x 50 ft (19 mm x 15 m) Hose
   55 Gallon Suction Set
- Fine Finish Kit with 1/8 in, 1/4 in,
- 5/16 in and 3/8 in Nozzles 4 mm, 6 mm, 8 mm, 10 mm Nozzles

# Complete Plus+

DESCRIPTION TEXSPRAY HTX 2030 COMPLETE PLUS+ PART #

WITH FREEFLO" INLINE GUN

258741

TEXSPRAY HTX 2030 COMPLETE PLUS+ WITH TRIGGER GUN APPLICATOR

278678

**PLUS+ INCLUDES** All the parts of the HTX 2030 Complete

- MaxLife Endurance High Pressure Airless Pump

  Heavy-Duty Texture Gun

  RAC X 643 Airless Tip and Guard

- 3/8 in x 50 ft (9.5 mm x 15 m)
- BlueMax II Airless Hose 1/4 in x 3 ft (6.4 mm x .9 m) Whip Hose





 High-output, 1-inch pump produces texture delivery rates to 4.0 gpm

#### Air Spray Heavy-Duty Trigger Gun

- Durable cast aluminum design
- Oversized fluid passages for pumping heavy mud mixes and larger aggregate sizes
- Extra-coarse gun head threads for quick nozzle changes

#### **Largest 17-Gallon Capacity Hopper**

- No-tools removal for easy clean up
- Steep sided to keep the thickest muds flowing to the pump

#### Separate Pump/Gun Air Controls

- One regulator controls pump pressure and output, another controls atomization air
- Enables you to produce precise, consistent and repeatable texture finishes

- for easy handling
- No-tools hose connection with oversized grip

#### On-Board Air Filtration

- Auto-drain design automatically removes moisture build-up
- Filters incoming air to keep your sprayer running at optimal performance

\*User-supplied air compressor with minimum performance of 12 cu ft/min (.34 cu m/min) at 100 psi (6.9 bar) recommended.

#### EvenFlow® Valve

- Provides smooth, even material flow for the most consistent finish quality
- Includes air regulators and pressure gauges for easy setup and operation

#### Relax-A-Valve (Carbon Steel Model Only)

- ► Ensures a soft start with easy trigger pull
- Eliminates the material blast that can impact finish quality

- High-Output Piston Pump

  ▶ Submerged foot valve is placed low to the ground to ensure the pump is preloaded with material
- Available in both carbon steel and stainless steel
- High-output pump produces texture delivery rates to 3.0 gpm (11 lpm) at 1000 psi (69 bar) for time-saving production ratios

#### Heavy-Duty Graco Air Motor ► Time-tested air motor delivers years of

- reliable, dependable operation
- Simple, maintenance-free design

#### Convenient Drum Mount Set-Up

- Mounts directly to your material confainer, saving space in your truck or on the job
- Carbon steel units can be used in open or closed head drums



#### Air-Power Texture

DESCRIPTION TEXSPRAY GTX 2000ex

PART #

**SPECIFICATIONS** 

MAX GPM (LPM): 4.0 (15.1) MAX PSI (BAR): 120 (8.3) MAX HOSE FT (M): 100 (30) HOPPER GAL (L): 17 (64.3)

#### INCLUDES

- Air Spray Trigger Gun
- 3 mm, 4 mm, 6 mm, 8 mm, 10 mm,
- 12 mm Nozzies 1 in x 25 ft (25.4 mm x 7.5 m) Bonded Air/Material Hose

### President

PART #

DESCRIPTION 10:1 CARBON STEEL COMPLETE

225886

**SPECIFICATIONS** MAX PSI (BAR):

MAX HOSE FT (M):

3.0 (11) 1000 (70) 200 (61)

#### INCLUDES

- Heavy-Duty Air Spray Gun
- 6 mm Nozzle
- 3/8 in x 25 ft (9.5 mm x 7.5 m) Air Hose
- 3/4 in x 25 ft (19 mm x 7.5 m) Air Hose
   3/4 in x 25 ft (19 mm x 7.5 m)
- High Pressure Material Hose

DESCRIPTION PART # 10:1 CARBON STEEL 225877 10:1 SST COMPLETE 987429

**SPECIFICATIONS** 

MAX GPM (LPM): 3.0 (11) MAX PSI (BAR): 1000 (70) MAX HOSE FT (M): 200 (61)

#### INCLUDES

- Heavy-Duty Air Spray Gun
  6 mm Nozzle
- - 3/8 in x 100 ft (9.5 mm x 30 m) Air Hose

- 3/4 in x 25 ft (19 mm x 7.5 m) Air Hose
   3/4 in x 50 ft (19 mm x 1.5 m)
   High Pressure Material Hose
   1 in x 50 ft (25 mm x 15 m)
   High Pressure Material Hose

DESCRIPTION PART # 10:1 SST BARE 954088

3.0 (11)

1000 (70)

200 (61)

**SPECIFICATIONS** MAX GPM (LPM): MAX PSI (BAR): MAX HOSE FT (M):

#### Contact: +603 5124 6200 info@impianti.com.my www.impianti.com.my



SERIE

#### **Electric Airless**

## TexSpray

PROCONTRACTOR

16W898

SPECIFICATIONS MAX TIP SIZE

.033

MAX GPM (LPM):

1.10 (4.1) 3300 (227)

MAX PSI (BAR): MOTOR:

2.2 hp Brushless DC

#### INCLUDES

- STANDARD SERIES UNIT:
  Flex Plus Gun
  LTX425 SwitchTlp and Guard
  3/8 in x 50 ft (9.5 mm x 15 m)
  BlueMax II Airless Hose
  1/4 in x 3 ft (6.4 mm x 0.9 m)

- PROCONTRACTOR SERIES UNIT:
  Flex Plus Gun
  LTX425 SwitchTlp and Guard
- (2x) 3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless Hose

Texture spraying is all about high productivity, and that's where the Mark IV sprayer really delivers. Designed to save time and money by enabling you to spray more square footage in a day, this unit offers valuable, must-have features for the serious professional contractor. Whether you need to spray skim coat in a Level 5 finish, drywall mud in an orange peel, splatter or knockdown finish or even the wide range of primers and paint, this sprayer can do it all!







"We use Graco because they get the productivity we need. Everything in this industry is about productivity."

Joey Vukelich, General Foreman Performance Contracting, Inc.



The Graco TexSpray Mark V is built to deliver a higher flow rate that lets you get the job done faster. It features 20 percent more productivity than the Mark IV and comes with an upgraded Heavy-Duty Texture Gun. It can accommodate a larger tip size, and has the power to spray skim coat in a Level 5 finish, drywall mud in an orange peel, splatter or knockdown finish or even the wide range of primers and paint.

#### **Electric Airless**

## TexSpray

SERIES STANDARD PROCONTRACTOR

PART # 16W905

IRONMAN

16W906 16X947

**SPECIFICATIONS** MAX TIP SIZE MAX GPM (LPM): MAX PSI (BAR):

.039 1.35 (5.1) 3300 (227)

MOTOR:

2.8 hp Brushless DC

#### INCLUDES

- STANDARD SERIES UNIT:

   Heavy-Duty Texture Gun

   LTX425 SwitchTip and Guard
- 3/8 in x 50 ft (9.5 mm x 15 m)
   BlueMax II Airless Hose
- 1/4 in x 3 ft (6.4 mm x 0.9 m)
   Whip Hose

#### PROCONTRACTOR AND IRONMAN SERIES UNIT:

- Heavy-Duty Texture Gun
   LTX425 SwitchTlp and Guard
- (2x) 3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless Hose





Contact: +603 5124 6200 info@impianti.com.my www.impianti.com.my



#### **Electric Airless**

## TexSpray 240 Volt

SERIES PART # STANDARD **PROCONTRACTOR** 16X099

SPECIFICATIONS MAX TIP SIZE: .045 MAX GPM (LPM): MAX PSI (BAR): MOTOR:

2.10 (8.0) 3300 (227) 4.0 hp Brushless DC

#### INCLUDES

#### STANDARD SERIES UNIT:

- Heavy-Duty Inline Gun
- RAC X 531, 541 SwitchTips and Guard
   1/2 in x 50 ft (13 mm x 15 m)
   BlueMax II Airless Hose
- 1/4 in x 3 ft (6.4 mm x 0.9 m)

#### PROCONTRACTOR SERIES UNIT:

- Heavy-Duty Inline Gun
  RAC X 531, 541 SwitchTips and Guard
  1/2 in x 100 ft (13 mm x 30 m)
- BlueMax II Airless Hose 1/4 in x 3 ft (6.4 mm x 0.9 m) Whip Hose

Connects to standard 220-240 Volt L6-30 receptacle (3 wire) on most distribution boxes



#### The Most Powerful Electric Airless Texture Sprayer-Period!

The TexSpray Mark X 240 Volt is our most productive electric airless/ texture unit. With nearly double the output of the Mark V, it is the sprayer of choice for serious professional contractors who take advantage of the 240 volt power available at a construction site or with a generator. A true powerhouse, it can easily spray skim coat in a Level 5 finish and drywall mud in an orange peel, splatter or knockdown finish. It can even apply the whole range of primers and paints.







"The reason I use the Mark sprayer is because of the productivity and how much footage we get everyday."

Ron Fuller, General Foreman Anning-Johnson



#### Contact: +603 5124 6200 info@impianti.com.my www.impianti.com.my



#### **Gas Airless**

## TexSpray

PROCONTRACTOR 16W882

SPECIFICATIONS MAX TIP SIZE:

0.043 MAX GPM (LPM): MAX PSI (BAR): 3300 (227) ENGINE CC (HP): Honda 160 (5.5)

#### INCLUDES

- STANDARD SERIES UNIT:

  Heavy-Duty Texture Gun
  LTX531, LTX427 SwitchTips and Guard
- 3/8 in x 50 ft (9.5 mm x 15 m)
- BlueMax II Airless Hose 1/4 in x 3 ft (6.4 mm x 0.9 m)

#### PROCONTRACTOR SERIES UNIT

- Heavy-Duty Texture Gun LTX531, LTX427 SwitchTips and Guard
- 3/8 in x 50 ft (9.5 mm x 15 m)
- AND

  1/4 in x 50 ft (6.4 mm x 15 m)
  BlueMax II Airless Hose

Welcome to a new world of versatile gas-powered airless/ texture spraying with the TexSpray 5900 HD. Built with must-have features that are designed to save you time and money, the TexSpray 5900 HD delivers top-notch performance and versatility. Whether you need to spray skim coat in a Level 5 finish, drywall mud in an orange peel, splatter or knockdown finish or even the wide range of primers, paints and other heavy coatings, this sprayer can handle just about any task you need it to. Doing the job just got easier with Graco!





"We like to train with Graco equipment because we know that's what the guys are using in the field."

Tom Nesbitt Drywall Apprenticeship Coordinator Southern CA District Council 36









Contact: +603 5124 6200 info@impianti.com.my www.impianti.com.my



#### **Hydraulic Airless**

## **TexSpray** DutyMax Convertible

SERIES PART # STANDARD

STANDARD with (non CSA)

24W944

STANDARD with Electric Motor Kit (CSA)

24W945

PROCONTRACTOR 24W962

**PROCONTRACTOR** with Electric Motor Kit (non CSA)

24W963

PROCONTRACTOR with Electric Motor Kit (CSA)

24W964

SPECIFICATIONS (with Gas Engine)

MAX TIP SIZE: 0.053 MAX GPM (LPM): 2.35 (8.9) MAX PSI (BAR): 3300 (227) ENGINE CC (HP): 200 (6.5)

SPECIFICATIONS (with Electric Motor)

MAX GPM (LPM): 1.10 (4.2)

#### INCLUDES

- STANDARD SERIES UNITS:

  Heavy-Duty Texture Gun
  LTX427, LTX531 SwitchTips and Guard
  3/8 in x 50 ft (9.5 mm x 15 m)
- BlueMax II Airless Hose 1/4 in x 3 ft (6.4 mm x 0.9 m) Whip Hose


#### PROCONTRACTOR SERIES UNIT:

- **Heavy-Duty Texture Gun**
- LTX427, LTX531 SwitchTips and Guard
- 3/8 in x 100 ft (9.5 mm x 30 m)
   BlueMax II Airless Hose
   1/4 in x 3 ft (6.4 mm x 0.9 m)



Kohler Diesel Engine!

OH 23001 ProContractor Series







When you need maximum performance, turn to the all new DutyMax GH 300pi sprayer to get the job done-fast!





#### **Hydraulic Airless**

# TexSpray DutyMax

PART # STANDARD 24W967 **PROCONTRACTOR** 24W968

**SPECIFICATIONS** 

MAX TIP SIZE: 0.057 3.0 (11.4) MAX GPM (LPM): MAX PSI (BAR): 3300 (227) ENGINE CC (HP): 270 (9.0)

#### INCLUDES

#### STANDARD SERIES UNITS:

- Heavy-Duty Inline Gun
   LTX643, WR1239 SwitchTips and Guard
- 3/8 in x 50 ft (9.5 mm x 15 m)
   BlueMax II Airless Hose
   3/8 in x 3 ft (9.5 mm x 0.9 m)
   Whip Hose

- PROCONTRACTOR SERIES UNIT:

  Heavy-Duty Inline Gun
  LTX643, WR1239 SwitchTips and Guard
  3/8 in x 100 ft (9.5 mm x 30 m)
  BlueMax II Airless Hose
  3/8 in x 3 ft (9.5 mm x 0.9 m)
  White Hose Whip Hose

